



Living in Delaware With HIV

Delaware data through 09/30/2019

Exposure Category	Living w/ HIV (Non-Stage 3)		Living in DE and ever diagnosed Stage 3 HIV (AIDS)		Living in DE W/HIV all Stages	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	1014	71.1%	1472	70.1%	2486	70.5%
Female	412	28.9%	627	29.9%	1039	29.5%
Total	1426	100%	2099	100%	3525	100%
Residence						
Kent County	198	13.9%	305	14.5%	503	14.3%
New Castle County	911	63.9%	1344	64.0%	2255	64.0%
Wilmington Metro Area	501	35.1%	790	37.6%	1291	36.6%
Outside Wilmington Metro Area	410	28.8%	554	26.4%	964	27.3%
Sussex County	315	22.1%	450	21.4%	765	21.7%
Unknown	2	0.1%	0	0.0%	2	0.1%
Total	1426	100%	2099	100%	3525	100%
Age at Diagnoses						
<13	12	0.8%	22	1.0%	HIV and AIDS diagnoses ages represent two different disease states and cannot be combined	
13-19	75	5.3%	27	1.3%		
20-29	446	31.3%	324	15.4%		
30-39	428	30.0%	716	34.1%		
40-49	289	20.3%	659	31.4%		
50+	176	12.3%	351	16.7%		
Total	1426	100%	2099	100%		
Race/Ethnicity						
Hispanic - All races	114	8.0%	157	7.5%	271	7.7%
White	466	32.7%	637	30.3%	1103	31.3%
Black	807	56.6%	1255	59.8%	2062	58.5%
Other ^c	39	2.7%	50	2.4%	89	2.5%
Total	1426	100%	2099	100%	3525	100%
Mode of Exposure in Adult Cases						
MSM	633	44.4%	752	35.8%	1385	39.3%
IDU	154	10.8%	410	19.5%	564	16.0%
MSM/IDU	50	3.5%	98	4.7%	148	4.2%
Heterosexual contact w/IDU	45	3.2%	148	7.1%	193	5.5%
Heterosexual contact	435	30.5%	566	27.0%	1001	28.4%
Transfusion/transplant recipient	1	0.1%	3	0.1%	4	0.1%
Risk not reported/other	96	6.7%	83	4.0%	179	5.1%
Pediatric Exposure	12	0.8%	39	1.9%	51	1.4%
Total	1426	100%	2099	100%	3525	100%
Mode of Exposure in Pediatric³ Cases						
Mother with/at risk for infection	11	91.7%	32	82.1%	43	84.3%
Receipt of blood transfusion or tissue	0	0.0%	0	0.0%	0	0.0%
Hemophilia/Coagulation Disorder	0	0.0%	1	2.6%	1	2.0%
Other/risk not reported	1	8.3%	6	15.4%	7	13.7%
Total	12	100%	39	100%	51	100%

¹"Living" data includes anyone currently living in DE with HIV or Stage 3 HIV (AIDS)

² Other includes Asian, Pacific Islander, American Indian, Alaskan Native or Multi-racial.

³ Pediatric cases are individuals <13 years of age.

Approximately 24% of HIV/AIDS diagnosed persons living in Delaware were initially diagnosed in another state and moved to Delaware after diagnoses.

Note: Stage 3 HIV (AIDS) cases have been reported in Delaware since 1983, HIV cases since July 2001, however, a clients original HIV disease DX date is based on the first known date of HIV infection regardless of which diagnoses stage that was.

Eight Year History of New Infections (DE Cases)

2012	2013	2014	2015	2016	2017	2018	2019
139	112	116	106	115	124	92	78
*So Far This Year							
New Infection = Year in which HIV infection was first diagnosed							



Total HIV Diagnosed Since 1981

Gender			
Male		4461	72.0%
Female		1739	28.0%
Total		6200	100%
Residence			
Kent County		729	11.8%
New Castle County		4541	73.2%
Wilmington Metro Area	2895	46.7%	
Outside Wilmington Metro Area	1646	26.5%	
Sussex County		930	15.0%
Unknown		0	0.0%
Total		6200	100%
Age at Diagnoses			
<13		54	0.9%
13-19		172	2.8%
20-29		1482	23.9%
30-39		2196	35.4%
40-49		1509	24.3%
50+		787	12.7%
Total		6200	100%
Race/Ethnicity			
Hispanic - All races		386	6.2%
White		1702	27.5%
Black		4035	65.1%
Other		77	1.2%
Total		6200	100%
Mode of Exposure in Adult Cases			
MSM		2042	32.9%
IDU		1834	29.6%
MSM/IDU		312	5.0%
Heterosexual contact w/IDU		417	6.7%
Heterosexual contact		1329	21.4%
Transfusion/transplant recipient		21	0.3%
Risk not reported/other		191	3.1%
Pediatric Exposure		54	0.9%
Total		6200	100%
Mode of Exposure in Pediatric Cases			
Mother with/at risk for infection		49	90.7%
Receipt of blood transfusion or tissue		1	1.9%
Hemophilia/Coagulation Disorder		1	1.9%
Other/risk not reported		3	5.6%
Total		54	100%

Note: This data includes only those people who were residents of Delaware at time of HIV diagnosis.

DO NOT ADJUST - For Author use only!!		
	NCC	
HIV	2594	
AIDS	1947	4541
	Sussex	
HIV	562	
AIDS	368	930
	Kent	
HIV	474	
AIDS	255	729
	Wilmington	
HIV	1572	
AIDS	1323	2895



Total Stage 3 HIV (AIDS) Diagnosed Since 1981

Gender			
Male		3355	72.3%
Female		1286	27.7%
Total		4641	100%
Residence			
Kent County		512	11.0%
New Castle County		3452	74.4%
Wilmington Metro Area	2251	48.5%	
Outside Wilmington Metro Area	1201	25.9%	
Sussex County		677	14.6%
Unknown		0	0.0%
Total		4641	100%
Age at Diagnoses			
<13		29	0.6%
13-19		34	0.7%
20-29		632	13.6%
30-39		1717	37.0%
40-49		1463	31.5%
50+		766	16.5%
Total		4641	100%
Race/Ethnicity			
Hispanic - All races		266	5.7%
White		1242	26.8%
Black		3085	66.5%
Other		48	1.0%
Total		4641	100%
Mode of Exposure in Adult Cases			
MSM		1444	31.1%
IDU		1576	34.0%
MSM/IDU		248	5.3%
Heterosexual contact w/IDU		368	7.9%
Heterosexual contact		830	17.9%
Transfusion/transplant recipient		18	0.4%
Risk not reported/other		108	2.3%
Pediatric Exposure		49	1.1%
Total		4641	100%
Mode of Exposure in Pediatric Cases			
Mother with/at risk for infection		44	89.8%
Receipt of blood transfusion or tissue		1	2.0%
Hemophilia/Coagulation Disorder		1	2.0%
Other/risk not reported		3	6.1%
Total		49	100%

Note: This data includes only those people who were residents of Delaware at time of Stage 3 HIV (AIDS) diagnosis.