



1 Living in Delaware With HIV

Delaware data through 01/31/2020

Exposure Category	Living w/ HIV (Non-Stage 3)		Living in DE and ever diagnosed Stage 3 HIV (AIDS)		Living in DE W/HIV all Stages	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	1029	71.6%	1486	70.4%	2515	70.8%
Female	409	28.4%	626	29.6%	1035	29.2%
Total	1438	100%	2112	100%	3550	100%
Residence						
Kent County	200	13.9%	307	14.5%	507	14.3%
New Castle County	914	63.6%	1356	64.2%	2270	63.9%
Wilmington Metro Area	492	34.2%	790	37.4%	1282	36.1%
Outside Wilmington Metro Area	422	29.3%	566	26.8%	988	27.8%
Sussex County	321	22.3%	449	21.3%	770	21.7%
Unknown	3	0.2%	0	0.0%	3	0.1%
Total	1438	100%	2112	100%	3550	100%
Age at Diagnoses						
<13	10	0.7%	21	1.0%	HIV and AIDS diagnoses ages represent two different disease states and cannot be combined	
13-19	78	5.4%	26	1.2%		
20-29	447	31.1%	332	15.7%		
30-39	431	30.0%	714	33.8%		
40-49	292	20.3%	661	31.3%		
50+	180	12.5%	358	17.0%		
Total	1438	100%	2112	100%		
Race/Ethnicity						
Hispanic - All races	112	7.8%	164	7.8%	276	7.8%
White	471	32.8%	637	30.2%	1108	31.2%
Black	817	56.8%	1262	59.8%	2079	58.6%
Other ^c	38	2.6%	49	2.3%	87	2.5%
Total	1438	100%	2112	100%	3550	100%
Mode of Exposure in Adult Cases						
MSM	645	44.9%	763	36.1%	1408	39.7%
IDU	154	10.7%	411	19.5%	565	15.9%
MSM/IDU	51	3.5%	99	4.7%	150	4.2%
Heterosexual contact w/IDU	41	2.9%	147	7.0%	188	5.3%
Heterosexual contact	437	30.4%	571	27.0%	1008	28.4%
Transfusion/transplant recipient	1	0.1%	3	0.1%	4	0.1%
Risk not reported/other	99	6.9%	81	3.8%	180	5.1%
Pediatric Exposure	10	0.7%	37	1.8%	47	1.3%
Total	1438	100%	2112	100%	3550	100%
Mode of Exposure in Pediatric³ Cases						
Mother with/at risk for infection	9	90.0%	30	81.1%	39	83.0%
Receipt of blood transfusion or tissue	0	0.0%	0	0.0%	0	0.0%
Hemophilia/Coagulation Disorder	0	0.0%	1	2.7%	1	2.1%
Other/risk not reported	1	10.0%	6	16.2%	7	14.9%
Total	10	100%	37	100%	47	100%

¹"Living" data includes anyone currently living in DE with HIV or Stage 3 HIV (AIDS)

² Other includes Asian, Pacific Islander, American Indian, Alaskan Native or Multi-racial.

³ Pediatric cases are individuals <13 years of age.

Approximately 24% of HIV/AIDS diagnosed persons living in Delaware were initially diagnosed in another state and moved to Delaware after diagnoses.

Note: Stage 3 HIV (AIDS) cases have been reported in Delaware since 1983, HIV cases since July 2001, however, a client's original HIV disease DX date is based on the first known date of HIV infection regardless of which diagnoses stage that was.

Eight Year History of New Infections (DE Cases)

2013	2014	2015	2016	2017	2018	2019	2020 *
112	117	106	115	124	92	92	11

*So Far This Year

New Infection = Year in which HIV infection was first diagnosed



Total HIV Diagnosed Since 1981

Gender			
Male		4476	71.9%
Female		1747	28.1%
Total		6223	100%
Residence			
Kent County		734	11.8%
New Castle County		4556	73.2%
Wilmington Metro Area	2901	46.6%	
Outside Wilmington Metro Area	1655	26.6%	
Sussex County		933	15.0%
Unknown		0	0.0%
Total		6223	100%
Age at Diagnoses			
<13		54	0.9%
13-19		174	2.8%
20-29		1485	23.9%
30-39		2201	35.4%
40-49		1515	24.3%
50+		794	12.8%
Total		6223	100%
Race/Ethnicity			
Hispanic - All races		388	6.2%
White		1707	27.4%
Black		4050	65.1%
Other		78	1.3%
Total		6223	100%
Mode of Exposure in Adult Cases			
MSM		2057	33.1%
IDU		1836	29.5%
MSM/IDU		312	5.0%
Heterosexual contact w/IDU		417	6.7%
Heterosexual contact		1337	21.5%
Transfusion/transplant recipient		21	0.3%
Risk not reported/other		189	3.0%
Pediatric Exposure		54	0.9%
Total		6223	100%
Mode of Exposure in Pediatric Cases			
Mother with/at risk for infection		49	90.7%
Receipt of blood transfusion or tissue		1	1.9%
Hemophilia/Coagulation Disorder		1	1.9%
Other/risk not reported		3	5.6%
Total		54	100%

Note: This data includes only those people who were residents of Delaware at time of HIV diagnosis.

DO NOT ADJUST - For Author use only!!		
	NCC	
HIV	2609	
AIDS	1947	4556
	Sussex	
HIV	565	
AIDS	368	933
	Kent	
HIV	479	
AIDS	255	734
	Wilmington	
HIV	1578	
AIDS	1323	2901



Total Stage 3 HIV (AIDS) Diagnosed Since 1981

Gender		
Male	3365	72.2%
Female	1293	27.8%
Total	4658	100%
Residence		
Kent County	517	11.1%
New Castle County	3464	74.4%
Wilmington Metro Area	2259	48.5%
Outside Wilmington Metro Area	1205	25.9%
Sussex County	677	14.5%
Unknown	0	0.0%
Total	4658	100%
Age at Diagnoses		
<13	30	0.6%
13-19	34	0.7%
20-29	634	13.6%
30-39	1718	36.9%
40-49	1467	31.5%
50+	775	16.6%
Total	4658	100%
Race/Ethnicity		
Hispanic - All races	269	5.8%
White	1243	26.7%
Black	3098	66.5%
Other	48	1.0%
Total	4658	100%
Mode of Exposure in Adult Cases		
MSM	1449	31.1%
IDU	1579	33.9%
MSM/IDU	248	5.3%
Heterosexual contact w/IDU	369	7.9%
Heterosexual contact	837	18.0%
Transfusion/transplant recipient	18	0.4%
Risk not reported/other	109	2.3%
Pediatric Exposure	49	1.1%
Total	4658	100%
Mode of Exposure in Pediatric Cases		
Mother with/at risk for infection	44	89.8%
Receipt of blood transfusion or tissue	1	2.0%
Hemophilia/Coagulation Disorder	1	2.0%
Other/risk not reported	3	6.1%
Total	49	100%

Note: This data includes only those people who were residents of Delaware at time of Stage 3 HIV (AIDS) diagnosis.