



1 Living in Delaware With HIV

Delaware data through 02/29/2020

Exposure Category	Living w/ HIV (Non-Stage 3)		Living in DE and ever diagnosed Stage 3 HIV (AIDS)		Living in DE W/HIV all Stages	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	1034	71.8%	1491	70.5%	2525	71.0%
Female	407	28.2%	624	29.5%	1031	29.0%
Total	1441	100%	2115	100%	3556	100%
Residence						
Kent County	197	13.7%	307	14.5%	504	14.2%
New Castle County	917	63.6%	1358	64.2%	2275	64.0%
Wilmington Metro Area	496	34.4%	793	37.5%	1289	36.2%
Outside Wilmington Metro Area	421	29.2%	565	26.7%	986	27.7%
Sussex County	323	22.4%	450	21.3%	773	21.7%
Unknown	4	0.3%	0	0.0%	4	0.1%
Total	1441	100%	2115	100%	3556	100%
Age at Diagnoses						
<13	10	0.7%	21	1.0%	HIV and AIDS diagnoses ages represent two different disease states and cannot be combined	
13-19	77	5.3%	26	1.2%		
20-29	447	31.0%	334	15.8%		
30-39	432	30.0%	717	33.9%		
40-49	292	20.3%	658	31.1%		
50+	183	12.7%	359	17.0%		
Total	1441	100%	2115	100%		
Race/Ethnicity						
Hispanic - All races	111	7.7%	166	7.8%	277	7.8%
White	473	32.8%	637	30.1%	1110	31.2%
Black	817	56.7%	1264	59.8%	2081	58.5%
Other ^c	40	2.8%	48	2.3%	88	2.5%
Total	1441	100%	2115	100%	3556	100%
Mode of Exposure in Adult Cases						
MSM	647	44.9%	766	36.2%	1413	39.7%
IDU	154	10.7%	408	19.3%	562	15.8%
MSM/IDU	51	3.5%	99	4.7%	150	4.2%
Heterosexual contact w/IDU	41	2.8%	148	7.0%	189	5.3%
Heterosexual contact	437	30.3%	572	27.0%	1009	28.4%
Transfusion/transplant recipient	1	0.1%	3	0.1%	4	0.1%
Risk not reported/other	100	6.9%	82	3.9%	182	5.1%
Pediatric Exposure	10	0.7%	37	1.7%	47	1.3%
Total	1441	100%	2115	100%	3556	100%
Mode of Exposure in Pediatric³ Cases						
Mother with/at risk for infection	9	90.0%	30	81.1%	39	83.0%
Receipt of blood transfusion or tissue	0	0.0%	0	0.0%	0	0.0%
Hemophilia/Coagulation Disorder	0	0.0%	1	2.7%	1	2.1%
Other/risk not reported	1	10.0%	6	16.2%	7	14.9%
Total	10	100%	37	100%	47	100%

¹"Living" data includes anyone currently living in DE with HIV or Stage 3 HIV (AIDS)

²Other includes Asian, Pacific Islander, American Indian, Alaskan Native or Multi-racial.

³Pediatric cases are individuals <13 years of age.

Approximately 24% of HIV/AIDS diagnosed persons living in Delaware were initially diagnosed in another state and moved to Delaware after diagnoses.

Note: Stage 3 HIV (AIDS) cases have been reported in Delaware since 1983, HIV cases since July 2001, however, a clients original HIV disease DX date is based on the first known date of HIV infection regardless of which diagnoses stage that was.

Eight Year History of New Infections (DE Cases)

2013	2014	2015	2016	2017	2018	2019	2020 *
112	117	106	115	124	92	92	23

*So Far This Year

New Infection = Year in which HIV infection was first diagnosed



Total HIV Diagnosed Since 1981

Gender			
Male		4488	72.0%
Female		1748	28.0%
Total		6236	100%
Residence			
Kent County		735	11.8%
New Castle County		4566	73.2%
Wilmington Metro Area	2907	46.6%	
Outside Wilmington Metro Area	1659	26.6%	
Sussex County		935	15.0%
Unknown		0	0.0%
Total		6236	100%
Age at Diagnoses			
<13		54	0.9%
13-19		174	2.8%
20-29		1487	23.8%
30-39		2209	35.4%
40-49		1515	24.3%
50+		797	12.8%
Total		6236	100%
Race/Ethnicity			
Hispanic - All races		388	6.2%
White		1712	27.5%
Black		4056	65.0%
Other		80	1.3%
Total		6236	100%
Mode of Exposure in Adult Cases			
MSM		2067	33.1%
IDU		1837	29.5%
MSM/IDU		312	5.0%
Heterosexual contact w/IDU		417	6.7%
Heterosexual contact		1338	21.5%
Transfusion/transplant recipient		21	0.3%
Risk not reported/other		190	3.0%
Pediatric Exposure		54	0.9%
Total		6236	100%
Mode of Exposure in Pediatric Cases			
Mother with/at risk for infection		49	90.7%
Receipt of blood transfusion or tissue		1	1.9%
Hemophilia/Coagulation Disorder		1	1.9%
Other/risk not reported		3	5.6%
Total		54	100%

Note: This data includes only those people who were residents of Delaware at time of HIV diagnosis.

DO NOT ADJUST - For Author use only!!		
	NCC	
HIV	2619	
AIDS	1947	4566
	Sussex	
HIV	567	
AIDS	368	935
	Kent	
HIV	480	
AIDS	255	735
	Wilmington	
HIV	1584	
AIDS	1323	2907



Total Stage 3 HIV (AIDS) Diagnosed Since 1981

Gender		
Male		3368 72.2%
Female		1294 27.8%
Total		4662 100%
Residence		
Kent County		517 11.1%
New Castle County		3468 74.4%
Wilmington Metro Area	2261	48.5%
Outside Wilmington Metro Area	1207	25.9%
Sussex County		677 14.5%
Unknown		0 0.0%
Total		4662 100%
Age at Diagnoses		
<13		30 0.6%
13-19		34 0.7%
20-29		633 13.6%
30-39		1721 36.9%
40-49		1467 31.5%
50+		777 16.7%
Total		4662 100%
Race/Ethnicity		
Hispanic - All races		269 5.8%
White		1245 26.7%
Black		3100 66.5%
Other		48 1.0%
Total		4662 100%
Mode of Exposure in Adult Cases		
MSM		1452 31.1%
IDU		1579 33.9%
MSM/IDU		248 5.3%
Heterosexual contact w/IDU		369 7.9%
Heterosexual contact		838 18.0%
Transfusion/transplant recipient		18 0.4%
Risk not reported/other		109 2.3%
Pediatric Exposure		49 1.1%
Total		4662 100%
Mode of Exposure in Pediatric Cases		
Mother with/at risk for infection		44 89.8%
Receipt of blood transfusion or tissue		1 2.0%
Hemophilia/Coagulation Disorder		1 2.0%
Other/risk not reported		3 6.1%
Total		49 100%

Note: This data includes only those people who were residents of Delaware at time of Stage 3 HIV (AIDS) diagnosis.